



Pony Testing International Group

Report No.: E05263008616D~1

MSDS Report

Samples

Plastic Run Capacitor

Client Unit

Zhejiang Huizhong Industrial Trading Co.,Ltd.

Client Address

Haifeng Road #1399, Binhai Industrial Zone,
Jiaojiang Area, 318000, Taizhou, Zhejiang, China

PONY assures objectivity and accuracy of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. If the customer has stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its Original Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning: Anti-Counterfeit

1. "PONY" uses a unique security print code, namely, each code corresponds with only one "Test Report".

2. "PONY" uses a unique security print code on the copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicate copies are not expected to give "PONY" security print under any circumstances.

3. "PONY" Test Report uses a anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com ☎Hotline 400-819-5688

Add: Yingzhi Building, No. 49-3, Suzhou Road, Haidian District, Beijing	Building 35, No. 680, Guiping Road, Xuhui District, Shanghai	Building 607 Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen	No. 2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao
Tel: (010)82618116	(021)64851999	(0755)26050909	(0532)88706866
Fax: (010)82619629	(021)64856403	(0755)26068336	(0532)88706877
E-mail: pony@ponytest.com	cs@ponytest.com	sz@ponytest.com	qd@ponytest.com

Pony Testing International Group



Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: Plastic Run Capacitor

Sample Code: CBB60

Manufacturer: Zhejiang Huizhong Industrial Trading Co.,Ltd.

Address: Haifeng Road #1399, Binhai Industrial Zone, Jiaojiang Area, 318000, Taizhou, Zhejiang, China

Post Code: 318000

Tel: 0576-81872999

Emergency Telephone: 0576-81872999

Fax: 0576-81878188

E-Mail: dali@hui-zhong.net

Section 2 - Composition/Information on Ingredient

Chemical Name	CAS No.	In % by Weight
OPP	90-43-7	30
Cu	7440-50-8	2
MPP	9003-07-0	40
Fe	7439-89-6	2
Epoxy	61788-97-4	10
Si	7440-21-3	14
Sn	7440-31-5	2

Section 3 - Hazards Identification

Eyes

May cause irritation to eyes. Contact with molten material may cause thermal burns.

Skin

May cause skin irritation individual. Contact with molten material may cause thermal burns.

Inhalation

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com

Hotline 400-819-5688

Add: Yingzhi Building, No.49-3, Suzhou Road, Haidian District, Beijing

Tel: (010)82618116

Fax: (010)82619629

E-mail: pony@ponytest.com

Building 35, No.680, Guiping Road, Xuhui District, Shanghai

(021)64851999

(021)64856403

esh@ponytest.com

Building 6 of Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen

(0755)26050909

(0755)26068336

sz@ponytest.com

No.2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao

(0532)88706866

(0532)88706877

qd@ponytest.com

May cause respiratory tract irritation. Melt processing fumes or vapors may cause respiratory irritation.

Ingestion

May be harmful if swallowed.

Section 4 - First Aid Measures

Eye

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical aid.

Skin

Remove contaminated clothing/shoes. Flush skin with plenty of water. Get medical attention. Do not reuse clothing until cleaned.

Inhalation

Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention immediately.

Ingestion

Do not induce vomiting. Get medical attention.

Section 5 - Fire Fighting Measures

Flammability: N/A.

Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Firefighting

Wear self contained breathing apparatus and protective clothing.

Decomposition Products

Carbon oxides, acrolein, formaldehyde-like, metal oxides, other irritation or toxic fume or mist.

Section 6 - Accidental Release Measures

At long industrial condition, reference as follow:

Steps to be taken in case material is spilled or released

Ventilate and evacuate area. Wear appropriate personal protective equipment as specified in Section 8. Sweep up using a method that does not generate dust. Collect as

PONY assures objectivity and honesty of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses a anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com ☎Hotline 400-819-5688

Add: Yingzhi Building, No. 49-3, Suzhou Road, Haidian District, Beijing	Building 35, No. 680, Guiping Road, Xuhui District, Shanghai	Building 6 of Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen	No. 2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao
Tel: (010) 82618116	(021) 64851999	(0755) 26050909	(0532) 88706866
Fax: (010) 82619629	(021) 64856403	(0755) 26068336	(0532) 88706877
E-mail: pony@ponytest.com	esh@ponytest.com	sz@ponytest.com	qd@ponytest.com

much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Waste Disposal Method

Use Waste Disposal Methods in accordance with all Federal, State and Local rules and regulations.

Section 7 - Handling and Storage

Handling

Keep away from heat, sparks and open flame, other ignition sources. Protect from direct sunlight. Avoid eye contact. Avoid prolonged or repeated contact with skin. Wash skin with soap and water after contact. Do not cut, welding, heating, air drilling or pressurized containers.

Storage

Store in a cool, dry and well-ventilated place. Consumption of food and beverage should be avoided in work areas. Wash hands with soap and water before eating, drinking. Keep away from incompatible substances, such as strong oxidizing agents, chlorine, permanganates, e.g. potassium permanganate.

Section 8 - Exposure Controls, Personal Protection

No need under normal use. At long industrial condition, reference as follow:

Engineering Controls

Keep workroom concentration below current applicable OSHA safety and health requirements. If necessary, configure the explosion-proof, anti-static devices.

Respiratory Protection

Appropriate vapor canister, self-contained breathing apparatus or supplied-air hose mask below current applicable OSHA safety and health requirements.

Personal Protection

Safety glasses, protective gloves, and lab coat, eye washer and safety shower if needed.

Exposure Limits

Cu

OSHA TWA 0.1 mg/m³ as fume; 1.0 mg/m³ as dust.

ACGIH TLV 0.2 mg/m³ as fume; 1.0 mg/m³ as dust.

Fe

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses a anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com

Hotline 400-819-5688

Add: Yingzhi Building, No. 49-3, Suzhou Road, Haidian District, Beijing

Tel: (010)82618116

Fax: (010)82619629

E-mail: pony@ponytest.com

Building 35, No. 680, Guiping Road, Xuhui District, Shanghai

(021)64851999

(021)64856403

esh@ponytest.com

Building 607 Zhongxing Industry City,

Chuangye Road, Nanshan District, Shenzhen

(0755)26050909

(0755)26068336

sz@ponytest.com

No. 2-1, Keyuan Wei Road 3, Hi-tech

Park, Laoshan District, Qingdao

(0532)88706866

(0532)88706877

qd@ponytest.com

OSHA TWA 10.0 mg/m³ as oxide dust and fume.

ACGIH TLV 5.0 mg/m³ as oxide fume.

Si

OSHA PEL 15 mg/m³, total dust; 5mg/m³, respirable fraction.

ACGIH TLV 10mg/m³ Total dust.

Sn

OSHA TWA 2 mg/m³ TWA as Sn.

ACGIH TLV 2 mg/m³ TWA, 2 mg/m³ TWA except tin hydride, as Sn.

Section 9 - Physical and Chemical Properties

Flammability: N/A.

Appearance and odor: White, cylindrical with odorless solid.

Chemical Uses: Use for motor run.

Section 10 - Stability and Reactivity

Stability

Stable under normal condition.

Conditions to Avoid

Heating, sparks, open flame, mechanical abuse and electrical abuse.

Incompatibilities

Strong oxidizing agents, chlorine, permanganates, e.g. potassium permanganate.

Hazardous Combustible Products

Carbon oxides, acrolein, formaldehyde-like, metal oxides, other irritation or toxic fume or mist.

Section 11 - Toxicological Information

Acute toxicity

OPP

Oral LD50 for rat: 2000 mg/kg.

Oral LD50 for mouse: 1050 mg/kg.

Dermal LD50 for rat: >2000 mg/kg.

PONY assures objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses a anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com ©Hotline 400-819-5688

Add: Yingzhi Building, No.49-3, Suzhou Road, Haidian District, Beijing

Tel: (010)82618116

Fax: (010)82619629

E-mail: pony@ponytest.com

Building 35, No.680, Guiping Road, Xuhui District, Shanghai

(021)64851999

(021)64856403

csh@ponytest.com

Building 601 Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen

(0755)26050909

(0755)26068336

sz@ponytest.com

No.2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao

(0532)88706866

(0532)88706877

qd@ponytest.com

Dermal LD50 for rabbit: >5000 mg/kg.

Cu

Oral LD50 for mouse: 3.5 mg/kg (intraperitoneal).

Fe

Oral LD50 for rat: 30 g/kg.

Epoxy

Oral LD50 for rat: 11.4 g/kg.

Silicon

Oral LD50 for Rats: 3160mg/kg.

Section 12 - Ecological Information

Environmental Effect

Report spills as required to appropriate authorities. U.S. Coast Guard regulations require immediate reporting of spills that could reach any waterway including intermittent dry creeks.

Section 13 - Disposal Considerations

Disposal Treatment

All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded, may be a regulated waste. Refer to state and local regulations. If regulated solvents are used to clean up spilled material, the resulting waste mixture may be regulated.

Section 14 - Transport Information

The Plastic Run Capacitor is exempt from dangerous goods. It is considered non-dangerous goods by the Technical Instructions for the Safe Transport of Dangerous Goods (TI).

Transport Fashion: By railway.

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses a anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com

☎Hotline 400-819-5688

Add: Ymgzhi Building, No. 49-3, Suzhou

Building 35, No. 680, Guiping Road,

Building 60 of Zhongxing Industry City,

No. 2-1, Keyuan Wei Road 3, Hi-tech

Road, Haidian District, Beijing

Xuhui District, Shanghai

Chuangye Road, Nanshan District, Shenzhen

Park, Laoshan District, Qingdao

Tel: (010)82618116

(021)64851999

(0755)26050909

(0532)88706866

Fax: (010)82619629

(021)64856403

(0755)26068336

(0532)88706877

E-mail: pony@ponytest.com

csh@ponytest.com

sz@ponytest.com

qd@ponytest.com

Section 15 - Regulatory Information

Law Information

- 《Dangerous Goods Regulation》
- 《Recommendations on the Transport of Dangerous Goods Model Regulations》
- 《International Maritime Dangerous Goods》
- 《Technical Instructions for the Safe Transport of Dangerous Goods》
- 《Classification and code of dangerous goods》
- 《Occupational Safety and Health Act》 (OSHA)
- 《Toxic Substances Control Act》 (TSCA)
- 《Consumer Product Safety Act》 (CPSA)
- 《Federal Environmental Pollution Control Act》 (FEPCA)
- 《The Oil Pollution Act》 (OPA)
- 《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》 (SARA)
- 《Resource Conservation and Recovery Act》 (RCRA)
- 《Safety Drinking Water Act》 (CWA)
- 《California Proposition 65》
- 《Code of Federal Regulations》 (CFR)

In accordance with all Federal, State and Local laws.

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information maybe applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Edited by: *liuxiaoyan*

Checked by:

Wangzhimin

Approved by:

Pigao

MSDS Creation Date: June 01, 2011

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.